Senstar Symphony[™] 7

Intelligent Video Management Software

SENSTAR



FEATURES AND BENEFITS

Low Total Cost of Ownership

- High camera density per server (recording/storage optimization)
- Scalable architecture
- Flexible licensing
- No artificial camera limits
- · Built-in server and storage failover
- Centralized cloud management via Senstar Enterprise Manager[™]

Easy to use

- Web-based administration
- Customizable Windows® operator client
- Web and mobile clients
- Intuitive video analytic configuration
- Privacy controls

Open ecosystem

- Runs on off-the-shelf hardware
- Broad device support
- ONVIF Profiles S and G
- RESTful API
- End-to-end SSL encryption

Intelligent video analytics

- Native video analytics for alarm
 generation and business intelligence
- · Available individually or bundled

Senstar Symphony 7 is the benchmark for intelligent video management software (VMS). With its scalable architecture and the highest camera density per server of any VMS, Symphony is the ideal solution for deployments of all sizes.

Symphony is easy to install, configure, and operate. It includes intuitive operator, browser, and mobile clients, while administration is handled via a built-in web interface.

Open ecosystem

Symphony installs on off-the-shelf hardware. It supports thousands of network devices as well as industry standards, including ONVIF profiles S and G.

Out-of-box integrations with PSIM, intrusion, and access control products improve operator efficiency by delivering a seamless view of events.

Its RESTful API prevents vendor lock-in while end-toend encryption ensures security.

Low Total Cost of Ownership

Symphony delivers the lowest Total Cost of Ownership by consolidating servers, reducing Microsoft licensing, and improving user efficiency:

- Multi-server architecture eliminates the need for dedicated management servers (recording servers assume this responsibility).
- Optimized for both recording and streaming video.
- Embedded server failover functionality simplifies configuration and eliminates the need for costly Windows[®] Clustering.
- Native video analytics reduce server footprint by eliminating dedicated analytics servers and improving operator efficiency.



Easy to use operator interfaces

Symphony includes several options for viewing video:

- Windows[®] operator client Dedicated for video and alarm management, it offers a clean, video-centric design.
 Controls are shown based on device capability and user permissions, including PTZ controls, access control, intrusion sensors, two-way audio, and general I/O.
- Web interface An HTML5-compliant web interface replicates key VMS functionality, including video playback, camera control, event timeline, and reports.
- Mobile apps (iOS and Android) Support live video and playback, video analytics, PTZ control, and alarm management. Each app can connect to multiple servers, enabling a user to remotely monitor several deployments.





 Video wall – Included with an enterprise license, enables a highly customizable layout driven by video analytic rules, manual configuration, and camera drag-and-drop.

Native analytics

Symphony has been developed from the ground up to support video analytics. Server-based or embedded analytics are seamlessly supported, as well as third-party applications through the metadata engine.

Analytic applications include motion tracking, auto-PTZ tracking, face recognition, license plate recognition, left/ removed object detection, and people counting. For a complete list, refer to Senstar's *Video Analytics* datasheet.



Intelligent search and investigation

Symphony includes a graphical timeline and intelligent search capabilities. By leveraging events and metadata generated by its video analytics, operators can quickly find, review, and export video containing specific events or people.

Comprehensive reports, including operator activity, event history, and video analytic results, can be also generated and exported.



Timeline graphically shows events, color-coded by type

Browser-based administrator client

Administration is handled via a browser-based client, eliminating the need to install and maintain a separate Windows[®] management application. The client can be accessed anywhere in the world over high security SSL encryption. Reusable templates and rules speed up the configuration of large deployments.

00000000	1D 1 2 3 4 5	Name NW - Jersey Barrier E - Cable Tray Tower W - Front Gate	Type Fixed Fixed	17 Address	Brend	Model	Templete				
00000000	2 3 4	E - Cable Tray Tower						Resolution	FPS	Groups	Add-On
000000	3 4				HikVision	DS-2CD4A25FW		1920 × 1080	1	Devices	None
0 0 0 0 0	4	W - Front Gate		172.16.57.205	HikVision	D5-2CD4A26FW		1920 x 1080		Devices	None
0 0 0			Fixed	172.16.57.207	HikVision	DS-2CD4A26FW	Default	1920 x 1080	10	Devices	Core Analytics
0 0 0	5	N - Cable Tray Tower	Fixed	172.16.57.208	HikVision	D5-2CD4A26FW		1920 × 1080		Devices	None
0		E - T1 Camera Tower (Fix	Fixed	172.16.57.213	HikVision	DS-2CD4A26FW		1920 × 1080		Devices	None
0	6	W - SE Lightpost	Fixed	172.16.57.216	HikVision	DS-2CD4A26FW		1920 x 1080		Devices	None
	7	E - XField	Fixed	172.16.57.210	HikVision	DS-2CD4A2SFW	Standby	1920 x 1080		Devices	None
	8	5 - 12ft Chainlink	Fixed	172.16.57.212	HikVision	DS-2CD4A26FW		1920 x 1080		Devices	None
	9	E - Towards T2	Fixed	172.16.57.209	HikVision	05-2CD4A25FW	Standby	1920 × 1080		Devices	None
	10	SE · Middle Post · Toward	Fixed	172.16.57.211	HikVision	DS-2CD4A2SFW		1920 x 1080		Devices	None
	11	N - Ameristar	Fixed	172.16.57.215	HikVision	D5-2CD4A26FW			1	Devices	None
	13	T2 PTZ	PTZ	172.16.57.202	HikVision	DS-20F6236-A		1920 x 1080	25	Devices	Outdoor People

Simple and efficent browser-based administration

Centralized cloud management

Through the use of Senstar Enterprise Manager[™], Symphony can be managed centrally, which dramatically reduces the administrative burden typical in multi-site deployments.

Software updates, configuration, and health monitoring can all be centralized ensuring a strong and up-to-date video deployment, while limiting downtime and operation costs.

Fully integrated built-in analytics

Technical Specifications: Symphony Clients

Symphony client support is included with camera licensing				1
(no additional client software purchases required).	Windows [®] Client	Web Client	Mobile Client	Thin Client
Core Features				
Supported operating system/platform	Windows® 7, 8, 10	Web browser	iOS or Android	Linux appliance
Number of concurrent server connections	unlimited	unlimited	unlimited	1
Customizable user interface				
Graphical timeline				
Hierarchical site map navigation				
Camera list navigation				
Visual tracking links (video overlay hotspots)				
Cameras from multiple servers and sites				
Multi-monitor support				
Camera sequence				
Panoramic (360-degree) support				
Manually trigger outputs				
Advanced video analytic search (intelligent search)	with add-on			
Integrated messenger				
Alarm console				
Video export				
Bookmark events				
Alarm log				
Remote support module				
Multiple languages				
Basic map support				
Dynamic GIS map support (Enterprise server license)				
PTZ Support				
Manual movement control				
Point and click control				
Zoom on marked area				
Go to preset positions				
Joystick support				
Virtual Matrix				
Customizable multi-camera layouts				
Configurable display options (fixed) Configurable display options (motion)				
Configurable display options (indian)				
User Access				
User monitoring	•			
Permissions per user	•			
Permissions per user group	•			
Security profiles	•			
Microsoft Active Directory				
Cross-domain authentication (Professional/Enterprise server license)				
Restrict simultaneous logins (Professional/Enterprise server license)				
Supervisor logins (Professional/Enterprise server license)				
Reports				
Login report				
Alarm counts and statistics				
Object count reports (e.g., people, vehicles)	with add-on			

Technical Specifications: Symphony Server

	Standard License	Professional License	Enterprise License			
	(single server)	(multi-server)	, (high availability)			
Core Features	1	' '				
Supported operating systems	Windows® 7, 10, Server 2008, 2012, 2016, 2019					
Number of cameras per server	1024	1024	1024			
Number of concurrent client connections	unlimited	unlimited	unlimited			
Multi-server (server farm)	_	unlimited	unlimited			
HTML5-compliant web client						
Mobile application (iOS, Android)						
Server virtualization						
2-way audio						
Unicast, multicast and multistream support						
Network video support (MJPEG/MPEG-4/h.264/h.265)						
Device packs						
Multiple languages						
Customizable user access levels						
Privacy controls and video scrambling			100 A 100			
Time-based access to recorded video			100 C			
Automatic server failover						
Video wall			100 A.			
Storage and Archiving						
Record locally or to edge/network storage			100 C			
Record on motion (from camera), schedule, alarm and continuous						
Redundant recording			•			
Failover recording						
Management						
Automatic camera detection			10 A			
Centralized device management			100 A 100			
Automatic configuration backups			100 B			
Uninterrupted configuration changes						
Remote diagnostics			•			
SNMP health monitoring			•			
CPU overload protection						
Cloud management	nt Requires Senstar E					
Integration						
External I/O devices			1 - C			
Generic events via TCP/IP						
Alarm panel						
Access control						
Server API/SDK						
OPC data access support						
Alerts and Notifications						
Mobile devices (iOS and Android)						
I/O devices						
Email notification, FTP, TCP, SNMP, OPC						

info@senstar.com • senstar.com

Copyright © 2019. All rights reserved. Features and specifications are subject to change without notice. The Senstar name and logo are registered trademarks of Senstar Corporation. Windows is a registered trademark of Microsoft Corporation. Senstar Symphony and Senstar Enterprise Manager are trademarks of Senstar Corporation. Product manufactured in ISO 9001:2015 certified facility. Version: DS-VMS-001-IN-R6-E-05/19

